

Chapter 1

¹ Ladyman SR, Grattan DR. “Region-specific reduction in leptin-induced phosphorylation of signal transducer and activator of transcription-3 (sSTAT3) in the rat hypothalamus is associated with leptin resistance during pregnancy.” *Endocrinology* 2004; 145(8): 3704-11

² Tups A, Ellis C, Moar K, Logie T, Adam C, Mercer J and Klingenspor M. “Photoperiodic Regulation of Leptin Sensitivity in the Siberian Hamster, *Phodopus sungorus*, Is Reflected in Arcuate Nucleus SOCS-3 (suppressor of Cytokine Signaling) Gene Expression” *Endocrinology* Vol. 145, No. 3 1185-1193

Chapter 3

¹ “Teenage Dieters Are More Likely To Be Overweight And Suffer From Eating Disorders In The Future” – Medical News Today, April 14, 2006

Chapter 6

¹ See Appendix Two – The Chemistry of the FAT Programs for how Proinflammatory Cytokines can activate the FAT Programs

² Omega-3 fatty acids increase insulin sensitivity and reverse hyperinsulinemia – See Rosedale, R MD: “Insulin and Its Metabolic Effects.” *Mercola Newsletter*, July 2001

Omega-3 acids have been shown to lower triglycerides – Bruce H: “Clinical Nutrition 4: Omega-3 Fatty Acids and Cardio Vascular Care”. *CMAJ* March 5, 2002.

Omega-3 fatty acids reduce inflammation and pro-inflammatory cytokines – Arita M, Bianchini F, Aliberti J, Sher A, Chiang N, Hong S, Yang R, Petasis N

Serhan C: “Stereochemical assignment, antiinflammatory properties, and receptor for the omega-3 lipid mediator resolvin E1”. *JEM*, Volume 201, Number 5, 713-722.

Cleland, L. G., James M. J, et al. (2003). “The role of fish oils in the treatment of rheumatoid arthritis.” *Drugs* 63(9): 845-53.

See Appendix Two – The Chemistry of the FAT Programs for the relationship between insulin resistance, elevated triglycerides, inflammation and the FAT Programs.

³ Arab L. “Biomarkers of fat and fatty acid intake.” *J Nutr* 133 Suppl 3: 925S-932S.
Berger M. M. and Mustafa I (2003). “Metabolic and nutritional support in acute cardiac failure.” *Curr Opin Clin Nutr Metab Care* 6(2): 195-201.

Bhatnagar D. and Durrington P (2003). “Omega-3 fatty acids: their role in the prevention and treatment of atherosclerosis related risk factors and complications.” *Int J Clin Pract* 57(4): 305-14.

Brenner R. R. (2003). “Hormonal modulation of delta6 and delta5 desaturases: case of diabetes.” *Prostaglandins Leukot Essent Fatty Acids* 68(2): 151-62.

- Calder P. C. (2003). "Long-chain n-3 fatty acids and inflammation: potential application in surgical and trauma patients." *Braz J Med Biol Res* 36(4): 433-46.
- Chen, W. J. and Yeh S. J (2003). "Effects of fish oil in parenteral nutrition." *Nutrition* 19(3): 275-9
- Colin A, Reggers J, et al. (2003). "Lipids, depression and suicide" *Encephale* 29(1): 49-58.
- Haag, M. (2003). "Essential fatty acids and the brain." *Can J Psychiatry* 48(3): 195-203
- Harris S, Park Y, et al. (2003). "Cardiovascular disease and long-chain omega-3 fatty acids." *Curr Opin Lipidol* 14(1): 9-14.
- Skerrett J and Hennekens C (2003). "Consumption of fish and fish oils and decreased risk of stroke." *Prev Cardio* 6(1): 38-41.
- Spector L and Surette M (2003). "Diet and asthma: has the role of dietary lipids been overlooked in the management of asthma?" *Ann Allergy Asthma Immunol* 90(4): 371-7; quiz 377-8, 421.
- ⁴ Rosedale, R "The Rosedale Diet" 2004 Harper Collins, New York 2004
- ⁵ See: <http://www.discount-vitamins-herbs.net/health-news8.htm#74>
- ⁶ Rubin, J, *The Maker's Diet*, 2004 Penguin, New York, 2004
- ⁷ Thompson, J "Essential 8", Health Science Institute October 14, 2004
<http://www.hsibaltimore.com/ealerts/ea200410/ea20041014.html>
- ⁸ Eating a diet high in processed grains and refined sugars can lead to leptin and insulin resistance.
Rosedale, R: "Insulin and Its Metabolic Effects" *Mecola News Letter*, July, 2001. Also Rosedale, R, *The Rosedale Diet*, Harper Collins, New York, 2004
- ⁹ Parikh S and Yanovski J: "Calcium Intake and Adiposity" *American Journal of Clinical Nutrition* Vol. 77, No. 2, 281-287, February 2003

Chapter 7

- ¹ Certain stress responses can cause elevated cortisol levels and elevated levels of proinflammatory cytokines, which can lead to insulin resistance and leptin resistance –
- Ueland T, Kristo C, Godang K, Aukrust P, Bollerslev J "Interleukin-1 receptor antagonist is associated with fat distribution in endogenous Cushing's syndrome: a longitudinal study" *J Clin Endocrinol Metab.* 2003; 88(4): 1492-6
- Kirwan J, Hauguel-De Mouzon S, Lepercq J, Challier J, Huston-Presley L, Friedman J, Kalhan C, and Catalano P : "TNF-alpha Is a Predictor of Insulin Resistance in Human Pregnancy", *Diabetes* 51: 2207-2213, 2002

Elenkov, I and Chrousos, P “Stress Hormones, Proinflammatory and Antiinflammatory Cytokines, and Autoimmunity Ann.” *N.Y. Acad. Sci.* 966: 290-303 (2002)

See Appendix Two – The Chemistry of the FAT Programs for the relationship between proinflammatory cytokines and The FAT Programs.

² Mercola, J “McDonalds and Biophoton Deficiency” *Mercola Newsletter*, August 12, 2002 #352 <http://www.mercola.com/2002/aug/21/biophoton.htm>

³ Mercola, J: “Breakthrough Updates You Need To Know About Vitamin D.” *Mercola Newsletter* February 23, 2002

Zittermann A, Schleithoff S, Koerfer R: “Putting cardiovascular disease and vitamin D insufficiency into perspective.” *British Journal of Nutrition* Volume: 94 Number: 4 Page: 483-492

See Appendix Two – The Chemistry of the FAT Programs for the relationship between proinflammatory cytokines and the FAT Programs.

⁴ Fontana L, Shew J, Holloszy J, Villareal D : “Low Bone Mass in Subjects on a Long-term Raw Vegetarian Diet.” *Arch Intern Med.* 2005; 165: 684-689

⁵ Sunlight increases the level of Melancortins in the brain. Melancortins can increase leptin sensitivity in the hypothalamus –

Scarpace PJ, Matheny M, Zolotukhin S, Tumer N, Zhang Y “Leptin-induced leptin resistant rats exhibit enhanced response to the melancortin agonist MTII” *Neuropharmacology* 2003 Aug;45(2):211-9

Balthasar N, Coppari R, McMinn J, Lui S, Lee C, Tang V, Kenny C, McGovern R, Streamson C, Elmquist J “Leptin Receptor Signaling in POMC Neurons Is Required for Normal Body Weight Homeostasis” *Neuron*, Vol. 42, 963-991, June 24, 2004

Seeley R: -Drazen D and -Clegg D: “The Critical Role of The Melancortin System in the Control of Energy Balance” *Annual Review of Nutrition* Vol. 24: 133-149

Please see Appendix Two– The Chemistry of the FAT Programs for the relationship between leptin resistance and the FAT Programs

Chapter 8

¹Thompson J, “Chew On This” Health Science Institute, December 12, 2003

² See Appendix Two – The Chemistry of the FAT Programs for the relationship between insulin resistance and the FAT Programs

³ Rosedale R ” Insulin and Its Metabolic Effects.” *Mercola Newsletter*, July 2001

⁴ Ibid.

⁵ Rubin R *The Maker’s Diet*, Penguin, New York 2004

Chapter 9

¹ Moore D: "The Health Benefits of Drinking Water" Dr. Donnica web site – address – <http://www.drdonnica.com/today/00007230.htm>

² Palma K: "Got Water?" Eagle-Tribune. April 24, 2002

Chapter 10

¹ "Sleep Wizard" Web site – Source – <http://www.sleepwizard.com/info>

² "Cortisol-Control" Web site – Source – <http://cortisol-control.com/cortisol/treatments/sleep/>

³ See Appendix Two – The Chemistry of the FAT Programs for the relationship between cortisol and the FAT Programs

Chapter 11

¹ Mercola, J Droege, R: "How To Avoid the 10 Most Common Toxins." *Mercola Newsletter*, February 19, 2005

² Ibid.

³ Manning PJ, Sutherland WH, Walker RJ, Williams SM, De Jong SA, Ryalls AR, Berry EA: "Effect of high-dose vitamin E on insulin resistance and associated parameters in overweight subjects." *Diabetes Care*, 2004 Sep; 27(9): 2166-71

⁴ See Appendix Two – The Chemistry of the FAT Programs for the relationship between insulin resistance and the FAT Programs

⁵ Weiss, R: "FDA is Urged to Ban Carbon-Monoxide-Treated Meat." *Washington Post* February 20, 2006

⁶ Genco R, Grossi S, Ho A, Nishimura F and Murayama Y: "A Proposed Model Linking Inflammation to Obesity, Diabetes, and Periodontal Infections." *Journal of Periodontology* 2005, Vol. 76, No. 11-s, pp. 2075-2084.

Wisse B: "The Inflammatory Syndrome: The Role of Adipose Tissue Cytokine Metablism in Metabolic Disorders Linked to Obesity." *J. Am Soc Nephrol* 15: 2792-2800, 2004

Das UN: "Is obesity an inflammatory condition?" *Nutrition* 2001 Nov-Dec; 17(11-12): 953-66

⁷ See Appendix Two – The Chemistry of the FAT Programs for the relationship between pro-inflammatory cytokines and the FAT Programs.

Chapter 12

¹ See Appendix Two – The Chemistry of the FAT Programs for the relevant hormones involved in the FAT Programs.

² The biurnal rhythm of cortisol levels gets reversed so that cortisol levels stay elevated at night.

See: Talbott, S, *The Cortisol Connection*, Hunter House Publishers, Alameda CA 2002

See Appendix Two – The Chemistry of the FAT Programs for the relationship between cortisol and The FAT Programs.

Chapter 13

¹ Talbott, S, *The Cortisol Connection*, Hunter House Publishers, Alameda CA 2002

² Ryff, C. “Well-being study: Good health goes beyond diet and exercise”. University of Wisconsin October 12, 2004

Chapter 14

¹ The hypothalamus is sometimes referred to as the ‘animal brain’. The arcuate and paraventricular nucleus of the hypothalamus are areas of the brain that help regulate a persons body weight.

Chapter 15

¹Weiss, B. *Many Lives, Many Masters*, Simon and Schuster, New York, 1988.

Chapter 18

¹ Waterkeyn, X, *Women In Crime*, New Holland, Sydney, 2005

Chapter 21

¹ Well-Connected. “Stress” Nidus Information Services, New York, September, 2001

² Jevning R, Wilson A and Davidson J: “Adrenocortical Activity During Meditation,” *Hormones and Behavior* 10: 54-60

³ See Appendix Two – The Chemistry of the FAT Programs for relationship between elevated cortisol levels and The FAT Programs

Chapter 22

¹ Exercise increases insulin sensitivity –

Sato, Y. *International Journal of Sports Medicine*, vol 7 p. 307, 1986.

Exercise lowers triglycerides –

Kravitz L, Heyward V: “The Exercise & Cholesterol Controversy” University of New Mexico

Haskell, W. L. “The influence of exercise on the concentrations of triglyceride and cholesterol in human plasma.” *Exercise and Sport Sciences Reviews*, 12, 205-244.

Exercise helps relieve stress and metabolize cortisol better –

Talbott, S, *The Cortisol Connection*, Hunter House Publishers, Alameda CA, 2002 pp 44-45

See Appendix Two – The Chemistry of the FAT Programs for the relationship between insulin resistance, triglycerides, cortisol and The FAT Programs.

² Eichner, E.R. “Overtraining: Consequences and Prevention” *Journal of Sports Science*, Summer 1995, 13, spec.no.: s41-48

³ Talbott, S “The Cortisol Connection” 2002 Hunter House Publishers, Alameda CA pp 44-45

⁴ Trapp, E.G & Boutcher, S.H. “Fat loss following 15 weeks high intensity, intermittent cycle ergometer training.” University of New South Wales, Sydney, Australia

⁴ See Appendix Two – The Chemistry of the FAT Programs for the relationship between elevated cortisol levels and The FAT Programs.

Chapter 23

¹ Harris R, Mitchell T, Simpson J, Redmann S Jr, Youngblood B and Ryan D: “Weight loss in rats exposed to repeated acute restraint stress is independent of energy or leptin status.” *Am J Physiol Regul Integr Comp Physiol* 282: R77-R88, 2002

Appendix One

¹ See Appendix Two – The Chemistry of the FAT Programs for the relationship between chronically elevated cortisol levels and The FAT Programs

² Fuhrman, Joel: *Fasting and Eating For Health*, St. Martin’s Press, New York, NY. 1995

³ Rosedale R: “Insulin and Its Metabolic Effects.” *Mercola Newsletter* July 2001
Rosedale R: “Diabetes is Not a Disease of Blood Sugar.” *Mercola Newsletter* May 28, 2005

⁴ Chlorophyll is very high in magnesium, noted for helping to increase insulin sensitivity and stabilize blood sugar.

⁵ Genco R, Grossi S, -Ho A, -Nishimura F and -Murayama Y: “A Proposed Model Linking Inflammation to Obesity, Diabetes, and Periodontal Infections.” *Journal of Periodontology* 2005, Vol. 76, No. 11-s, pp.2075-2084

⁶ Scientists at the University of Florence in Italy found that when youngsters were deprived of their TV sets, computers and video games, their melatonin production increased by an average 30 per cent – Source – Gaia V: “Television watching may hasten puberty.” *New science.com* news service June 28, 2004

⁷ Melanocortin deficiency is linked to leptin resistance –
Seeley R: -Drazen D and -Clegg D: “The Critical Role of The Melancortin System in the Control of Energy Balance” *Annual Review of Nutrition* Vol. 24: 133-149

See Appendix Two – The Chemistry of the FAT Programs for the relationship between leptin resistance and The FAT Programs.

⁸ Andersen R; Crespo C; Bartlett S; Cheskin L; Pratt M: “Relationship of Physical Activity and Television Watching With Body Weight and Level of Fatness Among Children” *JAMA*. 1998; 279: 938-942.

⁹ Eating at night keeps insulin levels elevated. See Appendix Two – The Chemistry of the FAT Programs for the relationship between hyperinsulinemia and The FAT Programs

¹⁰ An exaggerated insulin response leads to insulin resistance which leads to hyperinsulinemia. See Appendix Two – The Chemistry of the FAT Programs.

Appendix Two

¹ Freidman J and Halaas J “Leptin and the regulation of body weight in mammals.” *Nature* 395, 763 – 770; 22 October 1998

² Kawai K: “Leptin is a modulator of sweet taste sensitivities in mice.” *Proceedings of the National Academy of Science*, 2000 Vol. 97, Iss. 20, 11044-49

³ Goldsmith R, Bloomfield D, Magnano A., Weimer L, Heymsfield S, Gallagher D, Mayer L, Murphy E and Leibel R.L. (2005): “Low-dose leptin reverses skeletal muscle, autonomic, and neuroendocrine adaptations to maintenance of reduced weight.” *Journal of Clinical Investigations*, 2005, 115, 3579-86

⁴ Friedman J: ”Research Identifies Enzyme Involved in Fat Storage” *Howard Hughes Medical Institute Research News*. July 12, 2002

⁵ Freidman J and Halaas J “Leptin and the regulation of body weight in mammals.” *Nature* 395, 763 – 770; 22 October 1998

⁶ Ibid.

⁷ Ibid.

⁸ Dallman M, Pecoraro N, Akana, S, la Fleur S, Gomez F, Houshyar H, Bell M, Bhatnagar S, Laugero K, and Manalo S: “Chronic stress and obesity: A new view of “comfort food””: *Department of Physiology and Neuroscience Program*, University of California, San Francisco. July 28, 2003

- ⁹ Pickup JC, Chusney GD, Mattock MB: "The innate immune response and type 2 diabetes: evidence that leptin is associated with a stress-related (acute-phase) reaction." *Clin Endocrinol (Oxf)*. 2000 Jan; 52(1): 107-12
- ¹⁰ Via the activation of the 11hds1 enzyme which converts inactive cortisone to cortisol in certain cells.
- ¹¹ Banks WA, Coon AB, Robinson SM, Moinuddin A, Shultz JM, Nakaoka R, Morley JE: "Triglycerides induce leptin resistance at the blood-brain barrier." *Diabetes*, 2004 May; 53(5): 1253-60
- ¹² Peraldi P, Filloux C, Emanuelli B, Hilton D, and Van Obberghen E: "Insulin Induces Suppressor of Cytokine Signaling-3 Tyrosine Phosphorylation through Janus-activated Kinase." *J Bio Chem*, 2001 Jul 6; 276(27): 24614-20. Epub 2001 Apr 26.
- ¹³ Wisse B: "The Inflammatory Syndrome: The Role of Adipose Tissue Cytokines in Metabolic Disorders Linked to Obesity." *J Am Soc Nephrol* 15: 2792-2800, 2004
- ¹⁴ Kirk L, Hash R, Katner H, Jones T "Cushing's Disease: Clinical Manifestations and Diagnostic Evaluation" *American Family Physicians* September, 2001
- ¹⁵ Zakrzewska KE, Cusin I, Sainsbury A, Rohner-Jeanrenaud F, Jeanrenaud B. "Glucocorticoids as counterregulatory hormones of leptin: toward an understanding of leptin resistance." *diabetes* 1997 Apr; 46(4): 717-9.
- ¹⁶ Bujalska IJ, Kumar S, Stewart PM: "Does central obesity reflect Cushing's disease of the omentum?" *Lancet* 349: 1210-1213
- ¹⁷ Sutinen J, Kannisto K, Korshennikova E, Nyman T, Hamsten A, Wake D, Walker Band Yki-Jarvinen H: "Increased Expression of the 11-Hydroxysteroid Dehydrogenase Type 1 in Subcutaneous Adipose Tissue in HIV- Associated Lipodystrophy." *Antiviral Therapy* 2003; 8: L8
- ¹⁸ Bujalska IJ, Kumar S, Stewart PM: "Does central obesity reflect Cushing's disease of the omentum?" *Lancet* 349: 1210-1213
- ¹⁹ Banks WA, Coon AB, Robinson SM, Moinuddin A, Shultz JM, Nakaoka R, Morley JE: "Triglycerides induce leptin resistance at the blood-brain barrier." *Diabetes*, 2004 May; 53(5): 1253-60
- ²⁰ Peraldi P, Filloux C, Emanuelli B, Hilton D, and Van Obberghen E: "Insulin Induces Suppressor of Cytokine Signaling-3 Tyrosine Phosphorylation through Janus-activated Kinase." *J Bio Chem*, 2001 Jul 6; 276(27): 24614-20. Epub 2001 Apr 26.
- ²¹ Reinehr T, Andler W. "Cortisol and its relation to insulin resistance before and after weight loss in obese children." *Horm Res*. 2004; 62(3): 107-12. Epub 2004 Jul 15
- ²² Tomlinson J, Moore J, Cooper M, Bujalska I, Shahmanesh M, Burt C, Strain A, Hewison Mand P, Stewart P: "Regulation of Expression of 11 β -Hydroxysteroid Dehydrogenase Type 1

in Adipose Tissue: Tissue-Specific Induction by Cytokines.” *Endocrinology* Vol. 142, No. 5 1982-1989

²³ Lang C, Dobrescu D and Bagby G: “Tumor necrosis factor impairs insulin action on peripheral glucose disposal and hepatic glucose output.” *Endocrinology* 1992 Jan; 130(1): 43-52.

²⁴ Shi H, Tzamelis I, Bjørnbæk C, and Flier J “Suppressor of Cytokine Signaling 3 Is a Physiological Regulator of Adipocyte Insulin Signaling” *J. Biol. Chem.*, Vol. 279, Issue 33, 34733-34740

²⁵ White C, Braymer D, York D, and Bray G: “Effect of a high or low ambient perinatal temperature on adult obesity in Osborne-Mendel and S5B/Pl rats.” *Am J Physiol Regul Integr Comp Physiol* 288: R1376-R1384, 2005.

²⁶ Lawlor D, Smith G, Mitchell R and Ebrahim S “Temperature at birth, coronary heart disease, and insulin resistance: cross sectional analyses of the British women’s heart and health study.” *Heart* 2004; 90: 381-388.

²⁷ “Hormones, proteins and carbohydrates in the adaptation to starvation.” UCLA Center for Human Nutrition: Basic Principles of Nutrient Metabolism.

²⁸ Tomlinson J, Moore J, Clark P, Holder G, Shakespeare L, Stewart P “Weight Loss Increases 11 β Hydroxysteroid Dehydrogenase Type 1 Expression in Human Adipose Tissue” *The Journal of Clinical Endocrinology & Metabolism* Vol, 89, No 6 2711-2716

²⁹ Stout RW, Henry RW, Buchanan KD: “Triglyceride metabolism in acute starvation: the role of secretin and glucagon.” *Eur J Clin Invest.* 1976 Mar 31; 6(2): 179-85.

³⁰ Duska F, Andel M, Kubena A, Macdonald IA: “Effects of acute starvation on insulin resistance in obese patients with and without type 2 diabetes mellitus.” *Clin Nutri* 2005 Dec; 24(6): 1056-64. Epub 2005 Sep 26.

³¹ Dallman MF “Stress update : adaptation of the hypothalamic-pituitary-adrenal axis to chronic stress.” *Trends Endocrinol Metab* 1993;4:62-9.

³² Flier J: “What’s in a Name? In Search of Leptin’s Physiologic Role.” *The Journal of Clinical Endocrinology & Metabolism* Vol. 83, No. 5 1407-1413

³³ Timofeeva E, Deshaies D, Picard F, and Richard D: “Corticotropin-releasing hormone-binding protein in brain and pituitary of food-deprived obese (fa/fa) Zucker rats.” *Am J Physiol Regul Integr Comp Physiol* 277: R1749-R1759, 1999.

³⁴ Dallman M, Pecoraro N, Akana S, la Fleur S, Gomez F, Houshyar H, Bell M, Bhatnagar S, Laugero K, and Manalo S: “Chronic stress and obesity: A new view of “comfort food””: *Department of Physiology and Neuroscience Program, University of California, San Francisco.* July 28, 2003

³⁵Schwartz M, Seeley R “Neuroendocrine Responses to Starvation and Weight Loss” Seminars in Medicine of the Beth Israel Deaconess Medical Center Volume 336:1802-1811. June 19, 1997, Number 25

³⁶Brady LS, Smith MA, Gold PW, Herkenham M. “Altered expression of hypothalamic neuropeptide mRNAs in food-restricted and food-deprived rats.” *Neuroendocrinology* 1990;52:441-447

³⁷Suemaru S, Hashimoto K, Hattori T, Inoue H, Kageyama J, Ota Z. “Starvation-induced changes in rat brain corticotropin-releasing factor (CRF) and pituitary-adrenocortical response.” *Life Sci* 1986;39:1161-1166

Appendix Three

¹ Mercola J: “Yes, You Can Depend on Sugar.” *Mercola newsletter* June 30, 2001
“Trigger Foods and Opioids” *Alpha Nutrition* a division of *Enviromed Research Inc* Link:
<http://www.nutramed.com/eatingdisorders/addictivefoods.htm>

Appendix Four

¹ Shea, L: “Saccharine, Sweet ‘n Low and Cancer” *Bellaonline Newsletter* <http://www.bellaonline.com/articles/art15448.asp>

² Martini B: “Beware of Exitotoxins Diet Foods Can Ruin You” , July 2002 Source Obtained from Pathlight.com Link: <http://www.pathlights.com/Public%20Enemies/other-nasties.htm>

³ Because aspartame is shaped chemically similar to sugar, it can trick the tongue into thinking it is sugar and this can cause an insulin response, eventually leading to insulin resistance and hyperinsulinemia.

Please See Appendix Two – The Chemistry of the FAT Programs for the relationship between hyperinsulinemia and The FAT Programs

⁴ “Diet Soda May Double Your Risk of Obesity” *San Antonio Express News*, July 6,

⁵ “The Secret Dangers of Splenda (sucralose)” *Mercola Newsletter* December 3, 2000

⁶ Hamalainen MM: “Bone repair in calcium-deficient rats: comparison of xylitol+calcium carbonate with calcium carbonate, calcium lactate and calcium citrate on the repletion of calcium.” *J Nutr.* 1994 Jun; 124(6): 874-81.

⁷ Hirata Y, Fujisawa M, Sato H, Asano T, Katsuki S, “Effects of intravenous injection of xylitol on blood sugar, blood pyruvic acid and plasma insulin levels in the dog.” *Z Gesamte Exp Med.* 1968; 145(2): 111-9.

⁸ Townsend D: “Xylitol – Cavity Fighting Sweetener Possible Solution for Osteoporosis” *Dean W. Townsend New Letter for Doctors and Patients.* May 2002

⁹ “MSG and Obesity” *MSG Truth Out org* Source – <http://www.msgtruth.org/obesity.htm>

¹⁰ *Ibid.*

¹¹ Source – <http://www.msgtruth.org/avoid.htm>

¹² Processed grains cause an exaggerated insulin response which can lead to insulin resistance, hyperinsulinemia and leptin resistance.

See Appendix Two – The Chemistry of the FAT Programs for the relationship between Leptin resistance and The FAT Programs

¹³ Allbritin J “Wheaty Indiscretions: What Happens to Wheat From Seed to Storage.” *The Weston A Price Foundation* Source – <http://www.westonaprice.org/modernfood/wheatyindiscretions.html>

¹⁴ See – http://www.mercola.com/products/coconut_oil.htm